
North Asian International Research Journal Consortium

North Asian International Research Sournal

Øf

Science, Engineering and Information Technology





Welcome to NAIRJC

ISSN NO: 2454 -7514

North Asian International Research Journal of Science, Engineering & Information Technology is a research journal, published monthly in English, Hindi, Urdu all research papers submitted to the journal will be double-blind peer reviewed referred by members of the editorial board. Readers will include investigator in Universities, Research Institutes Government and Industry with research interest in the general subjects

Editorial Board

J.Anil Kumar Head Geography University of Thirvanathpuram	Sanjuket Das Head Economics Samplpur University	Adgaonkar Ganesh Dept. of Commerce, B.S.A.U Aruganbad
Kiran Mishra	Somanath Reddy	Rajpal Choudhary
Dept. of Engligh,Ranchi University,	Dept. of Social Work, Gulbarga	Dept. Govt. Engg. College Bikaner
Jharkhand	University.	Rajasthan
R.D. Sharma	R.P. Pandday	Moinuddin Khan
Head Commerce & Management Jammu	Head Education Dr. C.V.Raman	Dept. of Botany SinghaniyaUniversity
University	University	Rajasthan.
Manish Mishra Dept. of Engg, United College Ald.UPTU Lucknow	K.M Bhandarkar Praful Patel College of Education, Gondia	Ravi Kumar Pandey Director, H.I.M.T, Allahabad
Tihar Pandit Dept. of Environmental Science, University of Kashmir.	Simnani Dept. of Political Science, Govt. Degree College Pulwama, University of Kashmir.	Ashok D. Wagh Head PG. Dept. of Accountancy, B.N.N.College, Bhiwandi, Thane, Maharashtra.
Neelam Yaday	Nisar Hussain	M.C.P. Singh
Head Exam. Mat.KM .Patel College	Dept. of Medicine A.I. Medical College	Head Information Technology Dr C.V.
Thakurli (E), Thane, Maharashtra	(U.P) Kanpur University	Rama University
Ashak Husssain	Khagendra Nath Sethi	Rama Singh
Head Pol-Science G.B, PG College Ald.	Head Dept. of History Sambalpur	Dept. of Political Science A.K.D
Kanpur University	University.	College, Ald.University of Allahabad

Address: - Ashak Hussain Malik House No. 221 Gangoo, Pulwama, Jammu and Kashmir, India - 192301, Cell: 09086405302, 09906662570, Ph. No: 01933-212815,

Email: nairjc5@gmail.com, nairjc@nairjc.com, info@nairjc.com Website: www.nairjc.com

North Asian International research Journal consortiums www.nairjc.com

ARTHROPOD PARASITES OF RATTUS FRUGIVORUS IN SHEEP FARMING IN EL-KAWTHER CITY, SOHAG REGION, EGYPT

ABD EL-ALEEM SAAD SOLIMAN DESOKY

Plant protection Department (Zoology), Faculty of Agriculture, Sohag University, Egypt.

ABSTRACT

The white bellied rat, Rattus rattus frugivorus was infested with various species from arthropoda such as fleas & lice (Insecta) and mites & ticks (Acari), from this studied found that two species of fleas were Xenopsylla cheopis & Pulex irritans and two of lice was Haplopleura oenonydis & polyplax spinulosa infested the captured white bellied rat. While The study of ectoparasite from acari show that seven species of mites Amerosieus sp., Ornithonyssus bacoti, Dermanyssus sp., Rhizoglyphus echinopus, Glycyphagus sp., Myocoptes sp., and Tarsonemus sp., and two species of hard tick was Amblyomma sp., and Haemophysalis sp., infested Rattus r. frugivorus which captured from the study area.

Key words: Rattus rattus frugivorus, fleas, lice, mites, hard tick, white bellied rat.

INTRODUCTION

Rodents play an important role in disease transmission by their urine, feces, bite, and ectoparasites. Different disease agents o of bacteria, rickettsia, viruses, protozoa and helminthes can be transmitted by rodents to human and animals. Some examples of such diseases are plague, leptospirosis, salmonellosis, rat-bite fever, leishmaniasis, Chagas' disease, Omsk hemorrhagic fever, murine typhus and Lassa fever (**Bell et al., 1988**) Crimean Congo Hemorrhagic Fever (CCHF theilerios, babesia, anaplasmosis and Ehrlichiosis (**Inokuma et al., 2001 & 2003**). The close association of commensal rodents with human and domestic animals is a risk factor for transmission of these diseases.

Rodent is considered as the main reservoir host of zoonotic cutaneous leishmaniasis and plague. Knowledge on reservoir host and their ectoparasites will provide a clue for control planning of diseases in a given areas. There are a few documented papers on ectoparasites of rodent different regions (**Tajedin et al., 2009**). The aim of this study was to determine the species composition and infestation parameters for parasitic arthropods associated with Rattus r. frugivorus.

MATERIALS AND METHODS

The present work was carried out in the experimental station of the Faculty of Agriculture, El-Kawther city, Sohag University during December, 2012 till November.2013. It is located in newly reclaimed area at the Eastern desert area as arid region (15km. East of Sohag Governorate). This area has been planted from along period about (30 years) with isolated patches of vegetables, wheat, Egyptian clover, alfalfa, certain orchards and have a sheep farm, this farm about 5 Faddens, including the crops, buildings of animal sheds and animal food storages. The present work aimed to survey the ectoparasites associated with rattus rattus frugivorus in sheep farm.15 wire-box traps were baited and distributed twice every 15 days at 6pm and collected at 7am.

Rodents were collected alive and classified to species and subspecies, male and female of each as well as the distribution frequency of each species (%) was estimated. For collection of ectoparasites, rodents were individually anaesthetized in a jar containing a cotton pad moistened with chloroform then brushed in a deep white plate using a relatively hard brush. After collecting the ectoparasites, they were preserved in plastic tubes containing 70% ethyl alcohol and labeled with necessary information. The ectoparasites were classified as fleas, lice, mites, and ticks from the whole fauna.

Mites were selected and separately isolated in small vials using a camel's hair brush and then counted using stereoscopic binocular microscope. Clearing and preparation of mites were done using lactic acid. Two types of slide preparations were done (i.e., Temporary and Permanent preparations). The two types were used for mites examination of identification. Identification of mites were done using different keys constructed by **Hughes** (1976), Krantz (1978), Evans (1982) & Zaher (1986 a and b).

RESULTS AND DISCUSSION

The white bellied rat, Rattus r. frugivorus was infested with various species from arthropoda such as fleas & lice (Insecta) and mites & ticks (Acari), from this studied found that two species of fleas were Xenopsylla cheopis & Pulex irritans and two of lice was Haplopleura oenonydis & polyplax spinulosa infested the captured white bellied rat. While The study of ectoparasite from acari show that seven species of mites Amerosieus sp., Ornithonyssus bacoti, Dermanyssus sp., Rhizoglyphus echinopus, Glycyphagus sp., Myocoptes sp., and Tarsonemus sp., and two species of hard tick was Amblyomma sp., and Haemophysalis sp., infested Rattus r. frugivorus which captured from the study areas. Generally, the results ofour studyareable to providedata on theexternal parasitesso that we canprevention and control ofanimal diseasesin the region. These results were agreed with (Shayan & Rafinejad, 2006; Telmadarraiy et al., 2007; Abo-Elmaged & Desoky, 2013).

Table (1) Survey of *R. r. frugivorus* ectoparasites in farm animals of the Faculty of Agriculture, El-Kawther City, Sohag University, during 2012-2013.

N	Rodents	7	
Ν	Ectoparasites	N	R. r. frugivorus
1 Fleas	Floor	1.1	Xenopsyllae cheopis
	rieas	1.2	Pluex irritans
2	2 Lice	2.1	Haplopleura oenonydis
		2.2	Polyplax spinulosa
	Mites	Mesostigmata	
3		3.1	Ameroseiidae
			Amerosieus sp.
			Dermanyssidae
		3.2	Ornithonyssus bacoti
		3.3	Dermanyssus sp.
		Astigmata	
		3.4	Acaridae
			Rhizoglyphus echinopus
		3.5	Glycyphagidae
			<i>Glycyphagus</i> sp.
		3.6	Listrophoridae
			<i>Myocoptes</i> sp.
		Prostigmata	
			Tarsonemidae
		3.7	Tarsonemus sp.
	Ticks		Ixodidae
4		4.1	Amblyomma sp.
		4.2	Haemophysalis sp.

CONCLUSION

The aim of this study was to determine the species composition and infestation parameters for parasitic arthropods associated with *Rattus r. frugivorus*. Because of the role of some rodent ectoparasites, such as certain ticks and fleas, as vectors of zoonotic pathogens, and the reservoir potential of certain rodents for these pathogens, it is important to document host parasite associations and infestation parameters for parasitic arthropods infesting rodents.

REFERENCES

- 1. Abo-Elmaged, T.M and A.S.S. Desoky (2013) Parasitological Survey of Rodent in Cultivated and Reclaimed Land at Assiut, Egypt. Asian Journal of Applied Sciences.
- 2. Bell J.C.; S.R. Plamer and J.M. Payne (1988). The zoonosis: infection transmitted from animal to man. Edward Arnold Press, London UK.
- 3. Evans, G. O. (1982). Principles of Acarology. C.A.B. International Walling Ford.
- Hughes, A. M. (1976). The mites of stored food and houses. Tech. Bull. Minist. Agric. Fisheries and Food. 9:1-379.
- Inokuma H; P. Parola; D. Raoult and P. Brouqui (2001). Molecular survey of *Ehrlichia* infection in ticks from animals in Yamaguchi Prefecture, Japan. Vet Parasitol. 99(4): 335–339.
- Inokuma H; T. Beppu; M. Okuda; Y. Shimada and Y. Sakata (2003). Epidemiological survey of *Anaplasma platys* and *Ehrlichia canis* using ticks collected from dogs in Japan.Vet Parasitol. 115(4): 343–348.
- 7. Krantz, G. M. (1978). A manual of Acarology.2nd. edn.Oregon State University, Corvallis, Oregon.
- Shayan, A. and J. Rafinejad (2006). Arthropoda parasites of rodents in Khorram Abbad district, Lorestan Provincen of Iran, Iranian J.Publ.Health, Vol.35, No3, pp. 70-76.
- Tajedin, L; Y. Rassi; M.A. Oshaghi; Z. Telmadarraiy; A. A. Akhavan; M. R. Abai and M. H. Arandian (2009). Study on Ectoparasites of *Rhombomys opimus*, the Main Reservoir of Zoonotic Cutaneous Leishmaniasis in Endemic Foci in Iran. Iranian J Arthropod-Borne Dis, (2009), 3(1): 41-45.
- Telmadarraiy, Z; H. Vatandoost; S. Mohammadi; A.A. Akhavan; M.R. Abai; J. Rafinejad; E.B. Kia; F. Faghih Naini; M. Jedari; M. Aboulhasani (2007). Determination of Rodent Ectoparasite Fauna in Sarpole-Zahab District, Kermanshah Province, Iran, 2004-2005. Iranian J Arthropod-Borne Dis, 1(1): 58-62.
- 11. Zaher, M. A. (1986a). Survey and ecological studies on phytophagous, predaceous, and soil mites in Egypt. II-A: Predaceous and non predaceous mites in Egypt (Nile Valley and Delta):567.
- 12. Zaher, M. A. (1986b). Survey and ecological studies on phytophagous, predaceous, and soil mites in Egypt. III: Mites of Sinai: 36.

Publish Research Article

Dear Sir/Mam,

We invite unpublished Research Paper,Summary of Research Project,Theses,Books and Book Review for publication.

Address:-Ashak Hussain Malik House No-221, Gangoo Pulwama - 192301 Jammu & Kashmir, India Cell: 09086405302, 09906662570, Ph No: 01933212815 Email:- nairjc5@gmail.com, nairjc@nairjc.com , info@nairjc.com Website: www.nairjc.com