

# North Asian International Research Journal Consortium

*North Asian International Research Journal*

*Of*

*Multidisciplinary*

Chief Editor

Dr. Nisar Hussain Malik



Publisher

Dr. Bilal Ahmad Malik

Associate Editor

Dr. Nagendra Mani Trpathi



Honorary

Dr. Ashak Hussain Malik

NAIRJC JOURNAL PUBLICATION

North Asian  
International  
Research Journal Consortium



## Welcome to NAIRJC

ISSN NO: 2454 - 2326

North Asian International Research Journal is a multidisciplinary research journal, published monthly in English, Hindi, Urdu all research papers submitted to the journal will be double-blind peer reviewed referred by members of the editorial board. Readers will include investigator in Universities, Research Institutes Government and Industry with research interest in the general subjects

### Editorial Board

J.Anil Kumar Head Geography University of Thirvanathpuram	Sanjuket Das Head Economics Samplpur University	Adgaonkar Ganesh Dept. of Commerce, B.S.A.U Aruganbad
Kiran Mishra Dept. of English,Ranchi University, Jharkhand	Somanath Reddy Dept. of Social Work, Gulbarga University.	Rajpal Choudhary Dept. Govt. Engg. College Bikaner Rajasthan
R.D. Sharma Head Commerce & Management Jammu University	R.P. Pandday Head Education Dr. C.V.Raman University	Moinuddin Khan Dept. of Botany SinghaniyaUniversity Rajasthan.
Manish Mishra Dept. of Engg, United College Ald.UPTU Lucknow	K.M Bhandarkar Praful Patel College of Education, Gondia	Ravi Kumar Pandey Director, H.I.M.T, Allahabad
Tihar Pandit Dept. of Environmental Science, University of Kashmir.	Simnani Dept. of Political Science, Govt. Degree College Pulwama, University of Kashmir.	Ashok D. Wagh Head PG. Dept. of Accountancy, B.N.N.College, Bhiwandi, Thane, Maharashtra.
Neelam Yaday Head Exam. Mat.K..M .Patel College Thakurli (E), Thane, Maharashtra	Nisar Hussain Dept. of Medicine A.I. Medical College (U.P) Kanpur University	M.C.P. Singh Head Information Technology Dr C.V. Rama University
Ashak Hussain Head Pol-Science G.B, PG College Ald. Kanpur University	Khagendra Nath Sethi Head Dept. of History Sambalpur University.	Rama Singh Dept. of Political Science A.K.D College, Ald.University of Allahabad

**Address: - Dr. Ashak Hussain Malik House No. 221 Gangoo, Pulwama, Jammu and Kashmir, India - 192301, Cell: 09086405302, 09906662570, Ph. No: 01933-212815,**

**Email: [nairjc5@gmail.com](mailto:nairjc5@gmail.com), [info@nairjc.com](mailto:info@nairjc.com) Website: [www.nairjc.com](http://www.nairjc.com)**



## APPLICATION OF MINERAL AND ALLUMINO SILICATES IN TE ELECTRONIC AND TELEPHONE INDUSTRIES IN INDIA.

**ARUN K. SHANDILYA**

Dept. Of Applied Geology, DR.H.S.G.University, SAGAR, M., P.

### INTRODUCTION

The studies on the varieties of glasses have been carried out to understand the strength of various type of the glasses are available in our country. The naturally occurring glass do not have a high hardness and good quality, generally it breaks, when the variety of compression force/ tensile force, or couple shear forces are active on these glasses.. The verities of glasses are available as per the utility of glasses, the manufacturer have as per their own requirement with different composition.

The varieties of glasses can be manufactured with a variety of combination in the mineralogical composition, give good the quality glass. There are two type of the glasses are- (1) Natural glass (@) Synthesized/ Artificial glass.

The silicate are the only source for the manufacturing of glass, which is commonly used by the manufacturers, but some the other minerals composed of silicates can of the Calcium, sodium, potassium, lithium and aluminum silicate can be utilized for the manufacturing of the new variety of glass. The glasses are produces when molten silica bearing mineral matter is quenched. Natural glasses have been formed from the melts that have originated as a consequence of the fusion of the country rocks adjacent to magma( These glasses are called Buchites, the collision of the meteorites and the earth( impact melt and Tektites, and the fusion of the rocks by frictional heat in response to faulting (Hyalomylonites):the striking of the sand or rock by lightning(Fulgurites and the heat produced by naturally initiated combustion of plant matter(Ash Glass)' as well as by the chiling of the intrusive or extrusive magma(Glassy igneous rocks).

The compositions of the glass are determined by the geochemical analyses. The general composition of the glasses- frequently expressed as the basis of SiO<sub>2</sub> content, can be estimated from the glass index of refraction. Dispersion or specific gravity, particularly if its mode of occurrence on mineral and rocks are known. The chemical composition of some important silicate minerals are as follows-

(1). Anorthite-  $\text{Ca AlSi}_3\text{O}_8$  (2) Andesine -  $\text{Ca AlSi}_3\text{O}_8$  (3) Labradorite-  $\text{Ca NaAlSi}_3\text{O}_8$  (4) Bytownite -  $\text{Ca NaAlSi}_3\text{O}_8$  (5) Oligoclase-  $\text{NaCa AlSi}_3\text{O}_8$  (6) Albite-  $\text{Na AlSi}_3\text{O}_8$  (7) Kyanite  $\text{Al}_2\text{O}_3\text{SiO}_2$  (8) Sillimanite  $\text{Al}_2\text{O}_3\text{SiO}_2$  (9) Andalusite  $\text{Al}_2\text{O}_3\text{SiO}_2$  (10) Bauxite- hydrated Aluminium oxide. (11) Chrysoberyl  $\text{BeAl}_2\text{O}_4$  (12) Corundum  $\text{Al}_2\text{O}_3$ , Quartz-  $\text{SiO}_2$  (13) Obsidian- Volcanic glass, (14) Pitchstone igneous glass.

Since, the glass are used in the all domestic purposed along with the industrial purposes including mobile phones, TV, LED TV, automobile industry . For these type of industries we need a special type of glass which must be very hard, and have good strength, scratch free and crack proof.

In the standard laboratories various types of glass can be manufactured/ separated they are – sapphire, HIE, dragon trail, Gorilla, shot genition, soda lime float glass etc.

The details of these glasses are as follows-

### (1) **SAPPHIRE GLASS-**

It is a very high quality glass and manufactures a very high temperature( about 4000 F ) by melting the alumina silicate\-(Kyanite, sillimanite, Andalusite) at 4000 F Temp and rapidly cooling of the melt. This sapphire glass is used in the Aero plane window, LED TV, Electronic products, Scratch proof watches cover. etc. This glass is bit costly, so the common man / cannot use it.

### (2) **HIE GLASS-**

This glass is composed of  $\text{Al}_2\text{O}_3.\text{SiO}_2$  at high temperature. The melt of alumina silicate is cooled rapidly to form HIE glass. It is used in the Back plate glass, display, touch screen cover and optical component in the various industries. The HIE glass is very thin, hard, shock proof, scratch proof variety.

### (3) **DRAGON TRAIL GLASS**

The composition of this glass is made up of the Soda Lime glass, which is manufactured at the high Temperature by the melting of Albite ( $\text{Na L Si}_3\text{O}_8$  and Anorthite ( $\text{Ca AlSi}_3\text{O}_8$ ). This glass is very sophisticated glass used in the portable devises, smart phones, Tablet/ personal computer, cover glasses of various display instruments/ equipments etc.. The glass is also scratch and crack proof.

**(4) GORILLA GLASS**

This is very thin glass composed of Allumino silicate and a chemical layer on the glass. It is very much ecofriendly and use full in the i phones, smart phones and tablet used in the various industries. This gorilla glass is a scratch proof, high pressure resistance and with prestine surface.

**(5) SHOT GENETION GLASS**

It is one of the very good high quality glass of Allumino silicate comprises of Kyanite, Siilimenite, and Andalucite ( $Al_2SiO_5$ ) This glass I is flexible, hard, scratch proff, unbreakable. It is used in high level touch e quipmentsin optical industries, communication and medical equipment industries.

**(6) SODA LIME GLASS**

It is very common type of the glass, composed of Soda Lime, silica and alumina rich. The mineral Albite and Anorthite are use for the manufacturing of this glass.

These minerals are heat up to 1600-1700 C and melt is then cooled rapidly to form this glass. This glass in very thin, transparent, compact, hard and cheaper.

**(7) SILICA GLASS,**

This type of glass is manufactured with the ordinary silica or glassy sand particles, it can be used for the houses, windows, other transport and in housing industries

**(8) NATURAL GLASS**

The natural glass is formed under the high temperature conditions in the Volcanic rocks, the melts are erupted through the volcanic pipe and by the rapid cooling, melt convert in to glass.

**(9) BUCHITES-**

This type of glass have been found in the contact zone between Basalt masses and their adjacent country rocks ( shale) and also in xenoliths. They are apparently rather rare.



**(10) HYALOMYLONITES-**

It's a glassy rocks formed when the heat caused by friction associated with faulting is great enough to cause fusion of the rocks involved/ These glasses were recorded from the few fault zones that transect rocks such as granite and arkose. Deep seated zones where the rocks were already rather hot prior to faulting appear to be prerequisite to the formation of these glasses.

**(11) FULGARITE-**

This name is given to glass formation produced where lightning has caused melting and fusion of rocks material and the melt has then been quenched. There are two type of Fulgurite-1. Sand Fulgurite and 2. Rock crust Fulgurite. Sand fulgurite resulting from lightning striking unconsolidated sand are typically long, hollow cylinders, the glass of which is bubble bearing and glass attached sand grains.

The rock fulgurite are similarly constituted that coats rock exposures that have been hit by lightning. Most sand and rock fulgurite are silica glass called-Lechatelierite

**(12) ASH GLASS**

The name ash glass is applied to the scoriaceous and stag like glasses, typically greenish to dark grey in color that has been produced by the heat accompanying combustion of vegetal materials. Several glass stones, nearly 15kg in weight up have been recorded as having been formed as a result of haystack and straw(grain) fires. Although some gramineous species secrete free silica (e.g. epidermal cells of oats may yield opal), much of the silica of at least some of these glasses is apparently derived from subjacent mineral matter. Most of the ash glass that has been reported has been characterized by a relatively high alkali content and carbonaceous matter.

**(13) BOROSILICATE GLASS**

This glass can be manufactured at the temp. range from 700 – 800 degree centigrade from the Barium silicate mineral Barite. It can be utilized for the variety of glass used in the medical sciences and watch industries along with the telecom industries.

**(14) NAOBDIUM- PROSODIUM GLASS -**

This glass can be manufactured at temp ranges from 700 to 800 degree centigrade from the rare earth elements collected from the rare earth Industries in India.

The present studies on the various glasses will be very much helpful to the entire glass manufacturer whose products are generally used in the Telecom industries and computer industries and watch industries etc.

**REFERENCES**

- Read H.H.- Rutley Mineralogy.
- Dana S.S.- Elements of Mineralogy.
- Phyllip- Mineralogy.
- Deer, Hawii and Zusman - Principles of Mineralogy.

## Publish Research Article

Dear Sir/Mam,

We invite unpublished Research Paper, Summary of Research Project, Theses, Books and Book Review for publication.

**Address:- Dr. Ashak Hussain Malik House No-221, Gangoo Pulwama - 192301  
Jammu & Kashmir, India**

**Cell: 09086405302, 09906662570,**

**Ph No: 01933212815**

**Email: [nairjc5@gmail.com](mailto:nairjc5@gmail.com), [info@nairjc.com](mailto:info@nairjc.com)**

**Website: [www.nairjc.com](http://www.nairjc.com)**

